

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Viriginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/743,283	12/23/2003	Takeshi Asakura	3673-0163P	7867
2292	7590 12/15/2005	5 EXAMINER		
BIRCH STE PO BOX 747	WART KOLASCH &	WILLIAMS, ROSS A		
FALLS CHURCH, VA 22040-0747			ART UNIT	PAPER NUMBER
			3713	<u> </u>

DATE MAILED: 12/15/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Annii anii anii anii anii anii anii anii	A			
	Application No.	Applicant(s)			
	10/743,283	ASAKURA, TAKESHI			
Office Action Summary	Examiner	Art Unit			
	Ross A. Williams	3713			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be time vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 7/13/	<u>2005</u> .	•			
2a)⊠ This action is FINAL . 2b)☐ This	This action is FINAL . 2b) This action is non-final.				
	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) ☐ Claim(s) 1,2,4,5 and 7-10 is/are pending in the 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1,2,4,5 and 7-10 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.				
Application Papers	·	•			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the I drawing(s) be held in abeyance. See ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s)					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:				

Application/Control Number: 10/743,283

Art Unit: 3713

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1 and 4 are rejected under 35 U.S.C. 102(e) as being anticipated by Lutz (US 6,592,465).

Regarding claims 1 and 4, Lutz discloses an apparatus for measuring the trajectory of a moving object such as a flying ball. The apparatus consists of multiple cameras, each with an angle of view for photographing a moving ball (Figures 1- 9). Figures 5 and 6 present an arrangement of camera's wherein a first camera 214a will photograph the back portion of the ball, a side camera 212a-d will photograph the back portion, front portion and a side portion, and a third camera 216, that will photograph a front portion of the ball (Figure 6). Lutz discloses that the cameras will be activated to photograph the object upon by a triggering means such as an acoustical or optical sensor (Lutz 5:34 – 42). When the trigger is activated a frame grabber will process many multiple frames of the photographs taken by the many different cameras. When the ball passes into the angles of view of cameras 212a-d the photographs will be taken of the side of the ball but at the same time the same photograph image will also have a

image of the back and front portion of the ball. This is especially true if the ball is just moving into or leaving a camera's field of vision or angle of view. As can be further seen by Figures 1- 10, Lutz discloses multiple camera view angles that overlap each other. Thus the cameras will also be able to take multiple photographs of the ball in motion simultaneously. Lutz further discloses a calculating portion the to calculate the coordinate positions of each ball image. Specifically the computer calculates, using software, using the ball dimensions, the time relationships between the camera images and the geometric relationships between the cameras to calculate the X, Y and Z positions of the ball image (Lutz 9:8 – 20).

Lutz also discloses an embodiment of the apparatus wherein two cameras are positioned behind the launch point at different angles of inclination and multiple cameras that are positioned off to the side of the course. All the cameras have an angle of view wherein the angle of view of a camera can overlap the angle of view of another camera (Figure 1). As the ball proceeds to travel through the multiple fields of view of the cameras, also depending on the initial flight path of the ball, the first camera 14a will photograph the back of the ball, the second camera 14b will also photograph the back of the ball when it passes through it angle of view, and one of the third camera's 12a – 12d will photograph the front of the ball (Figure 1).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 2, 5, 9 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lutz (US 6,592,465) as applied above, and in view of Nauck (US 5,413,345).

Regarding claims 2 and 5, Lutz discloses various embodiments wherein the cameras are positioned before the launch point, between the launch and drop point and after the drop point (Figures 1 – 10). Lutz however does not specifically state the orientation of the first, second and third cameras in relation to the launch and drop points. Nauck discloses a golf tracking system that uses cameras to track the trajectory of a golf ball. Nauck discloses a golf course that has a target area with multiple targets or potential drop points A – K (Nauck Fig 1). The golf course has multiple locator cameras located behind the tee box area (i.e. launch point), and range cameras located along the sides of the golf course. These cameras are located between the launch and drop point and after the drop points. Nauck also discloses that the locator cameras can be placed at any convenient golf location from which a golf shot can be viewed (Nauck 3:35 – 37). Thus by combining the teachings of Nauck to Lutz an apparatus could be constructed to have various camera arrangements in relations to the launch and drop points on the golf area.

One of ordinary skill in the art would be motivated to modify Lutz in view of Nauck to provide various camera arrangements with respect to the layout of the golf course

and the launch and drop points. This would provide greater flexibility in setting up the tracking cameras on the golf course due to the fact that the system can be adapted to many different courses that are not of an identical layout.

Regarding claims 9 and 10, Both Lutz and Nauck teach systems of tracking the trajectory of a golf ball when hit. Lutz discloses specifically tracking cameras having angles of view that overlap and potions of these views that do not overlap (Lutz Figures 1 – 10). Lutz does not specifically disclose which cameras are responsible for photographing or tracking the trajectory of the ball as it is traveling by the cameras. However, Lutz does disclose a triggering means that activates the cameras to photograph the ball along its given trajectory. Obviously, for a given point in time, the ball will not be in view of every single camera. It will only be in the view of a certain number of cameras. It is even possible at some points in time, for the ball to only be in the view of one camera (Lutz Fig 1). Thus even though all the cameras may be activated to photograph the ball, only the cameras whose view is crossed by the ball at any given point in time will actually photograph the ball. Nauck also discloses a method of tracking a ball as it crosses into different camera views. Nauck describes a method of handing off the tracking responsibilities of the cameras as the ball leaves Nauck also discloses that the locator cameras can be placed at any convenient golf location from which a golf shot can be viewed (Nauck 3:35 – 37). Since Nauck teaches that one can place the tracking cameras in any convenient location, one of ordinary skill in the art could easily construct a setup of camera's wherein at given times during the trajectory

of the ball, only the first and second camera, or only the second and third camera or all three cameras are able to photograph the ball.

One of ordinary skill in the art would be motivated to modify Lutz in view of Nauck to provide various camera view arrangements to specify what cameras will photograph the ball's trajectory at a given time. One would be motivated to do so in order to provide a measure of flexibility in adapting the system to different courses as well as provide convenient locations to view a golf shot (Nauck 3:35 – 37).

Regarding claims 7 and 8, Lutz discloses an apparatus for measuring the trajectory of a moving object such as a flying ball. The apparatus consists of multiple cameras, each with an angle of view for photographing a moving ball (Figures 1- 9). Figures 5 and 6 present an arrangement of camera's wherein a first camera 214a will photograph the back portion of the ball, a side camera 212a-d will photograph the back portion, front portion and a side portion, and a third camera 216, that will photograph a front portion of the ball (Figure 6). Lutz discloses that the cameras will be activated to photograph the object upon by a triggering means such as an acoustical or optical sensor (Lutz 5:34 – 42). When the trigger is activated a frame grabber will process multiple image frames of the photographs taken by the many different cameras. When the ball passes into the angles of view of cameras 212a-d the photographs will be taken of the side of the ball but at the same time the same photograph image will also have a image of the back and front portion of the ball. This is especially true if the ball is just moving into or leaving a camera's field of vision or angle of view. As can be further

seen by Figures 1- 10, Lutz discloses multiple camera view angles that overlap each other. Thus the cameras will also be able to take multiple photographs of the ball in motion simultaneously. Lutz further discloses a calculating portion the to calculate the coordinate positions of each ball image. Specifically the computer calculates, using software, using the ball dimensions, the time relationships between the camera images and the geometric relationships between the cameras to calculate the X, Y and Z positions of the ball image (Lutz 9:8 – 20).

Lutz also discloses an embodiment of the apparatus wherein two cameras are positioned behind the launch point at different horizontal angles of inclination and multiple cameras that are positioned off to the side of the course. All the cameras have an angle of view wherein the angle of view of a camera can overlap the angle of view of another camera (Figure 1). As the ball proceeds to travel through the multiple fields of view of the cameras, also depending on the initial flight path of the ball, the first camera 14a will photograph the back of the ball, the second camera 14b will also photograph the back of the ball when it passes through it angle of view, and one of the third camera's 12a – 12d will photograph the front of the ball (Figure 1).

Lutz also discloses a third embodiment of as shown in Figure 9, wherein two cameras are arranged in a vertical arrangement. The limitation of "substantial" is open to a broad interpretation; therefore the two cameras in figure 9 can be viewed as being substantially the same distance and position directly behind the launch point. Lutz does not explicitly disclose the exact upward inclinations of the cameras. In fact the camera inclination angles according to figure 9 appear to be the same and appear to be

horizontal. However, Nauck discloses a camera tracking system wherein the cameras can be located in any convenient location for viewing a golf shot (Nauck 3:35 – 37). Thus it would be obvious to position the cameras in such a way that the upward angles of inclination of the cameras are different.

One of ordinary skill in the art would be motivated to modify Lutz in view of Nauck to position the cameras with differing angles of inclination. One would be motivated to do so in order to provide a measure of flexibility in adapting the system to different courses as well as provide convenient locations to view a golf shot (Nauck 3:35 – 37).

Response to Arguments

Applicant's arguments with respect to claim 1, 2, 4, 5 and 7 – 10 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

All claims are drawn to the same invention claimed in the application prior to the entry of the submission under 37 CFR 1.114 and could have been finally rejected on the grounds and art of record in the next Office action if they had been entered in the application prior to entry under 37 CFR 1.114. Accordingly, **THIS ACTION IS MADE FINAL** even though it is a first action after the filing of a request for continued examination and the submission under 37 CFR 1.114. See MPEP § 706.07(b).

Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

Application/Control Number: 10/743,283 Page 9

Art Unit: 3713

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ross A. Williams whose telephone number is (571) 272-5911. The examiner can normally be reached on Mon-Fri 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Xuan Thai can be reached on (571) 272-7147. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

XUAN M. THAI SUPERVISORY PATENT EXAMINER

TC3700